

Cameron et al.
U.S.S.N. 10/717,975
Page 2

This listing of claims will replace all prior versions of claims in the application.

Claim 1. (currently amended) A coated substrate comprising:

- a) an organic underlayer composition coating layer on a substrate, the underlayer composition comprising (i) a first resin that comprises phenol groups; (ii) a second acrylate resin that is distinct from the first resin and comprises one or more anthracene groups; ~~and~~ (iii) a crosslinker component that is distinct from the first resin and second resin, the crosslinker comprising a benzoquanamine compound or a melamine compound; and (iv) an acid or acid generator compound;
- b) a positive-acting photoresist composition coating layer over the underlayer composition, the photoresist comprising one or more resins that comprise Si groups, phenolic groups and photoacid-labile groups.

Claims 2-21. (cancelled)

Claim 22. (currently amended) A method for forming a photoresist relief image comprising:

- a) applying an organic underlayer composition coating layer on a substrate, the underlayer composition comprising (i) a first resin that comprises phenol groups; (ii) a second acrylate resin that is distinct from the first resin and comprises one or more anthracene groups; ~~and~~ (iii) a crosslinker component that is distinct from the first resin and second resin, the crosslinker comprising a benzoquanamine compound or a melamine compound; and (iv) an acid or acid generator compound;
- b) applying a positive-acting photoresist composition coating layer over the underlayer composition, the photoresist composition comprising a photoactive component and one or more resins that comprise Si groups, phenolic groups and photoacid-labile groups; and
- c) exposing the photoresist layer to radiation having a wavelength of about 248 nm.

BOS2 673490.1

Cameron et al.
U.S.S.N. 10/717,975
Page 3

Claims 23-61. (cancelled)

Claim 62. (previously presented) The substrate of claim 1 wherein the crosslinker component comprises a benzoquanamine compound.

Claim 63. (previously presented) The substrate of claim 1 wherein the crosslinker component comprises a melamine compound.

Claims 64-67. (cancelled)

Claim 68. (previously presented) The method of claim 22 wherein the crosslinker component comprises a benzoquanamine compound.

Claim 69. (previously presented) The method of claim 22 wherein the crosslinker component comprises a melamine compound.

Claims 70-71. (cancelled)

BOS2 673490.1